Author Index

Arrendondo, J. T. & Johnson, D. A., Root architecture and biomass allocation of three range grasses in response to nonuniform supply of nutrients and shoot defoliation, 373

Austin, M. P. (see Navas, M.-L.), 323

Baar, J., Horton, T. R., Kretzer, A. M. & Bruns, T. D., Mycorrhizal colonization of *Pinus muricata* from resistant propagules after a stand-replacing wildfire, 409

Bagni, N. (see Fornalé, S.), 581

Bailey, J. S., Varying the ratio of ^{15}N-labelled ammonium and nitrate-N supplied to creeping bent: effects on nitrogen absorption and assimilation, and plant growth, 503

Baldet, P. (see Bertin, N.), 53

Bentrup, F.-W. (see Schneider, H.), 471

Berry, S. L. (see Roderick, M. L.), 63

Bertin, N., Tchamitchian, M., Baldet, P., Devaux, C., Brunel, B. & Gary, C., Contribution of carbohydrate pools to the variations in leaf mass per area within a tomato plant, 53

Blom, A. (see Pasonen, H. L.), 243

Bowden, J. W. (see Tang, C.), 513

Brodribb, T. & Hill, R. S., The importance of xylem constraints in the distribution of conifer species, 365

Brunel, B. (see Bertin, N.), 53

Bruns, T. D. (see Baar, J.), 409

Cabido, M. (see Cornelissen, J. H. C.), 191

Cerabolini, B. (see Cornelissen, J. H. C.), 191

Chen, Z. (see Yu, Q.), 299

Chuine, I. & Cour, P., Climatic determinants of budburst seasonality in four temperate-zone tree species, 339

Collis, B. E. (see Gunn, S.), 45

Colpaert, J. V., van Tichelen, K. K., van Assche, J. A. & van Laere, A., Short-term phosphorus uptake rates in mycorrhizal and non-mycorrhizal roots of intact *Pinus sylvestris* seedlings, 589

Cornelissen, J. H. C., Pérez-Harguindeguy, N., Díaz, S., Grime, J. P., Marzano, B., Cabido, M., Vendramini, F. & Cerabolini, B., Leaf structure and defence control litter decomposition rate across species and life forms in regional floras on two continents, 191

Cour, P. (see Chuine, I.), 339

Dale, J. (see Garnier, E.), 1

De Jong, R. (see Poorter, H.), 163

Denelle, N. (see Dommée, B.), 419

Devaux, C. (see Bertin, N.), 53

Díaz, S. (see Cornelissen, J. H. C.), 191

Dietz, S. & Hartung, W., The effect of abscisic acid on chlorophyll fluorescence in lichens under extreme water regimes, 495

Dommée, B., Geslot, A., Thompson, J. D., Reille, M. & Denelle, N., Androdioecy in the entomophilous tree *Fraxinus ornus* (Oleaceae), 419

Eckstein, R. L., Karlsson, P. S. & Weih, M., Leaf life span and nutrient resorption as determinants of plant nutrient conservation in temperate-arctic regions, 177

Evans, J. R., Leaf anatomy enables more equal access to light and CO_2 between chloroplasts, 93

Farrar, J. (see Garnier, E.), 1

Farrar, J. F. (see Gunn, S.), 45

Felle, H. H. (see Hanstein, S.), 333

Fornalé, S., Sarjala, T. & Bagni, N., Endogenous polyamine content and metabolism in the ectomycorrhizal fungus *Paxillus involutus*, 581

Frazer, L. N. (see Meškauskas, A.), 387

Furbank, R. T. (see Lunn, J. E.), 221

Gamon, J. A. & Surfus, J. S., Assessing leaf pigment content and activity with a reflectometer, 105

Garnier, E., Farrar, J., Poorter, H. & Dale, J., Editorial, 1

——, Salager, J.-L., Laurent, G., Sonié, L., Relationships between photosynthesis, nitrogen and leaf structure in 14 grass species and their dependence on the basis of expression, 119

——, (see Navas, M.-L.), 323

Gary, C. (see Bertin, N.), 53

Gaur, J. P. (see Mehta, S. K.), 253

Geslot, A. (see Dommée, B.), 419

Gessner, P. (see Schneider, H.), 471

Gifford, R. M. (see Navas, M.-L.), 323

Graglia, E. (see Michelsen, A.), 523

Granier, C. (see Tardieu, F.), 33

Grime, J. P. (see Cornelissen, J. H. C.), 191

Gunn, S., Farrar, J. F., Collis, B. E. & Nason, M., Specific leaf area in barley: individual leaves versus whole plants, 45

Gurney, A. L., Press, M. C. & Scholes, J. D., Infection time and density influence the response of sorghum to the parasitic angiosperm *Striga hermonthica*, 573

Gutschick, V. P., Biotic and abiotic consequences of differences in leaf structure, 3

Han, T., Vogelmann, T. & Nishio, J., Profiles of photosynthetic oxygen-evolution within leaves of *Spinacia oleracea*, 83

Hanstein, S. & Felle, H. H., The influence of atmospheric NH_3 on the apoplastic pH of green leaves: a non-invasive approach with pH-sensitive microelectrodes, 333

Hartung, W. (see Schneider, H.), 471

——, (see Dietz, S.), 495

Herrmann, B. (see Schneider, H.), 471

Higgs, E. C. (see Rowse, H. R.), 273

Hill, R. S. (see Brodribb, T.), 365

Hodgson, J. G. (see Wilson, P. J.), 155

Horton, T. R. (see Baar, J.), 409

Jeschke, W. D. (see Seel, W. E.), 281

Joffre, R. (see Ourcival, J. M.), 351

Johnson, D. A. (see Arrendondo, J. T.), 373

Jonasson, S. (see Michelsen, A.), 523

Jurkoniene, S. (see Meškauskas, A.), 401

Käpylä, M. (see Pasonen, H. L.), 243

Karlsson, P. S. (see Eckstein, R. L.), 177

Karsten, U., Seasonal variation in heteroside concentrations of field-collected *Porphyra* species (Rhodophyta) from different biogeographic regions, 561

Kondratchuk, A. V. (see Pyankov, V. I.), 131

Kretzer, A. M. (see Baar, J.), 409

Kropff, M. J. (see Schippers, P.), 547

Kuo, J. (see Yu, Q.), 299

Laurence, J. A. (see Yun, S.-C.), 305

Laurent, G. (see Roumet, C.), 73

——, (see Garnier, E.), 119

Lavado, R. S. (see Rubio, G.), 539

Lindner, K. (see Schneider, H.), 471

Lunn, J. E. & Furbank, R. T., Tansley Review No. 105 Sucrose biosynthesis in C_4 plants, 221

McKee, J. M. T. (see Rowse, H. R.), 273

Malone, M., Watson, R. & Pritchard, J., The spittlebug *Philaenus spumarius* feeds from mature xylem at the full hydraulic tension of the transpiration stream, 261

Marzano, B. (see Cornelissen, J. H. C.), 191

Mehta, S. K. & Gaur, J. P., Heavy-metal-induced proline accumulation and its role in ameliorating metal toxicity in *Chlorella vulgaris*, 253

Meškauskas, A., Frazer, L. N. & Moore, D., Mathematical modelling of morphogenesis in fungi: a key role for curvature compensation ('autotropismin the local curvature distribution model, 387

——, Jurkoniene, S., Moore, D., Spatial organization of the gravitropic response in plants: applicability of the revised local curvature distribution model to *Triticum aestivum* coleoptiles, 401

Michelsen, A., Graglia, E., Schmidt, I. K., Jonasson, S., Sleep, D. & Quarmby, C., Differential responses of grass and a dwarf shrub to long-term changes in soil microbial biomass C, N and P following factorial addition of NPK fertilizer, fungicide and labile carbon to a heath, 523

Moore, D. (see Meškauskas, A.), 387, 401

MULLER, B. (see TARDIEU, F.), 33

NARDINI, A. & PITT, F., Drought resistance of *Quercus pubescens* as a function of root hydraulic conductance, xylem embolism and hydraulic architecture, 485

NASON, M. (see GUNN, S.), 45

NAVAS, M.-L., GARNIER, E., AUSTIN, M. P. & GIFFORD, R. M., Effect of competition on the responses of grasses and legumes to elevated atmospheric CO_2 along a nitrogen gradient: differences between isolated plants, monocultures and multi-species mixtures, 323

NEWTON, R. P., ROEF, L., WITTERS, E. & VAN ONCKELEN, H., Cyclic nucleotides in higher plants: the enduring paradox, 427

NIKLAS, K. J., A mechanical perspective on foliage leaf form and function, 19

NISHIO, J. (see HAN, T.), 83

NOBLE, I. R. (see RODERICK, M. L.), 63

OURCIVAL, J. M., JOFFRE, R. & RAMBAL, S., Exploring the relationships between reflectance and anatomical and biochemical properties in *Quercus ilex* leaves, 351

PASONEN, H. L., PULKKINEN, P., KÄPYLÄ, M. & BLOM, A., Pollen-tube growth rate and seed-siring success among *Betula pendula* clones, 243

PÉREZ-HARGUINDEGUY, N. (see CORNELISSEN, J. H. C.), 191

PITT, F. (see NARDINI, A.), 485

PLEIJEL, H. (see SILD, E.), 315

POORTER, H. (see GARNIER, E.), 1

——, DE JONG, R., A comparison of specific leaf area, chemical composition and leaf construction costs of field plants from 15 habitats differing in productivity, 163

——, (see SCHIEVING, F.), 210

PRESS, M. C., The functional significance of leaf structure: a search for generalizations, 213

——, (see GURNEY, A. L.), 573

PRITCHARD, J. (see MALONE, M.), 261

PULKKINEN, P. (see PASONEN, H. L.), 243

PYANKOV, V. I., KONDRATCHUK, A. V. & SHIPLEY, B., Leaf structure and specific leaf mass: the alpine desert plants of the Eastern Pamirs, Tadjikistan, 131

QUARMBY, C. (see MICHELSEN, A.), 523

RAMBAL, S. (see OURCIVAL, J. M.), 351

REICH, P. B. (see WALTERS, M. B.), 143

REILLE, M. (see DOMMÉE, B.), 419

RODERICK, M. L., BERRY, S. L. & NOBLE, I. R., The relationship between leaf composition and morphology at elevated CO_2 concentrations, 63

ROEF, L. (see NEWTON, R. P.), 427

ROUMET, C., LAURENT, G. & ROY, J., Leaf structure and chemical composition as affected by elevated CO_2: genotypic responses of two perennial grasses, 73

ROWSE, H. R., MCKEE, J. M. T. & HIGGS, E. C., A model of the effects of water-stress on seed advancement and germination, 273

ROY, J. (see ROUMET, C.), 73

RUBIO, G. & LAVADO, R. S., Acquisition and allocation of resources in two waterlogging-tolerant grasses, 539

SALAGER, J.-L. (see GARNIER, E.), 119

SARJALA, T. (see FORNALÉ, S.), 581

SCHIEVING, F. & POORTER, H., Carbon gain in a multispecies canopy: the role of specific leaf area and photosynthetic nitrogen-use efficiency in the tragedy of the commons, 210

SCHIPPERS, P., SNOEIJING, I. & KROPFF, M. J., Competition under high and low nutrient levels among three grassland species occupying different positions in a successional sequence, 547

SCHMIDT, I. K. (see MICHELSEN, A.), 523

SCHNEIDER, H., THÜRMER, F., ZHU, J. J., WISTUBA, N., GESSNER, P., LINDNER, K., HERRMANN, B., ZIMMERMANN, G., HARTUNG, W., BENTRUP, F.-W. & ZIMMERMANN, U., Diurnal changes in xylem pressure of the hydrated resurrection plant *Myrothamnus flabellifolia*: evidence for lipid bodies in conducting xylem vessels, 471

SCHOLES, J. D. (see GURNEY, A. L.), 573

SEEL, W. E. & JESCHKE, W. D., Simultaneous collection of xylem sap from *Rhinanthus minor* and the hosts *Hordeum* and *Trifolium*hydraulic properties, xylem sap composition and effects of attachment, 281

SELLDÉN, G. (see SILD, E.), 315

SHIPLEY, B. (see PYANKOV, V. I.), 131

SILD, E., PLEIJEL, H. & SELLDÉN, G., Response of subterranean clover (*Trifolium subterraneum*) to ozone in relation to plant age and light conditions during exposure, 315

SLEEP, D. (see MICHELSEN, A.), 523

SNOEIJING, I. (see SCHIPPERS, P.), 547

SONIÉ, L. (see GARNIER, E.), 119

SURFUS, J. S. (see GAMON, J. A.), 105

TANG, C. (see YU, Q.), 299

——, UNKOVICH, M. J., BOWDEN, J. W., Factors affecting soil acidification under legumes. III. Acid production by N_2-fixing legumes as influenced by nitrate supply, 513

TARDIEU, F., GRANIER, C. & MULLER, B., Modelling leaf expansion in a fluctuating environment: are changes in specific leaf area a consequence of changes in expansion rate?, 33

TCHAMITCHIAN, M. (see BERTIN, N.), 53

THOMPSON, J. D. (see DOMMÉE, B.), 419

THOMPSON, K. (see WILSON, P. J.), 155

THÜRMER, F. (see SCHNEIDER, H.), 471

UNKOVICH, M. J. (see TANG, C.), 513

VAN ASSCHE, J. A. (see COLPAERT, J. V.), 589

VAN LAERE, A. (see COLPAERT, J. V.), 589

VAN ONCKELEN, H. (see NEWTON, R. P.), 427

VAN TICHELEN, K. K. (see COLPAERT, J. V.), 589

VENDRAMINI, F. (see CORNELISSEN, J. H. C.), 191

VOGELMANN, T. (see HAN, T.), 83

WALTERS, M. B. & REICH, P. B., Low-light carbon balance and shade tolerance in the seedlings of woody plants: do winter deciduous and broad-leaved evergreen species differ?, 143

WATSON, R. (see MALONE, M.), 261

WEIH, M. (see ECKSTEIN, R. L.), 177

WILSON, P. J., THOMPSON, K. & HODGSON, J. G., Specific leaf area and leaf dry matter content as alternative predictors of plant strategies, 155

WISTUBA, N. (see SCHNEIDER, H.), 471

WITTERS, E. (see NEWTON, R. P.), 427

YU, Q., TANG, C., CHEN, Z. & KUO, J., Extraction of apoplastic sap from plant roots by centrifugation, 299

YUN, S.-C. & LAURENCE, J. A., The response of sensitive and tolerant clones of *Populus tremuloides* to dynamic ozone exposure under controlled environmental conditions, 305

ZHU, J. J. (see SCHNEIDER, H.), 471

ZIMMERMANN, G. (see SCHNEIDER, H.), 471

ZIMMERMANN, U. (see SCHNEIDER, H.), 471

Subject Index

ABA, 495
Abiotic stress, 221
Abscisic acid, 495
Acclimation to light, 93
Agropyron cristatum, 373
Agropyron desertorum, 373
Agrostis stolonifera, 503
Air-seeding, 365
Alpine vegetation, 131
Ammonia, 333
Ammonium vs nitrate nutrition, 503
Analytical model, 210
Anatomy, 351
Androdioecy, 419
Anthocyanins, 105
Apoplast, 333
Apoplastic sap, 299
Arginine decarboxylase, 581
Artic–alpine ecosystems, 523
Ascorbic acid, 305
Ash alkalinity, 513
Aspen (*Populus tremuloides*), 305
Assimilation rate, 119
Barley, 45
Benomyl, 523
Betula pendula (silver birch), 243
Bifacial necrosis, 305
Biomass, 315
Biomass allocation, 373
Biomass turnover, 547
Biomechanics, 19
Bromus erectus, 333
Bromus tectorum, 373
Bud dormancy, 339
Budburst, 339
C_4 photosynthesis, 213, 221
Canopy, 210
Capillary electrophoresis, 299
Carbohydrate, 53
Carbon balance, 143
Carrot (*Daucus carota*), 273
Cell division, 33
Centrifugation, 299
Chemical composition, 163
Chemical defence, 3
Chlorella vulgaris, 253
Chlorophyll, 105
Chlorophyll fluorescence, 495
Chloroplast surface area, 93
Climate, 339
Clover, 315
CO_2 diffusion, 93
Colonization, 419
Community structure, 323, 409
Comparative approach, 163
Competition, 323, 409
Competitive asymmetry, 547
Competitive response, 547
Computer simulation, 387, 401
Conifer distribution, 365
Constant water saturation, 495
Construction costs, 163
Coprinus cinereus, 387
CSR, 155
Curvature compensation, 401
Deciduous, 143
Decomposition, 191
Density, 323
Desiccation, 471
Desiccation tolerance, 495
D-isofloridoside, 561
Diurnal changes, 471
Drought resistance, 485
Drought stress, 365
Dry weight, 45
Ecosystem function, 155
Ectomycorrhiza, 589
Elevated C_{CO}, 63
Elevated CO_2, 73, 323
Evergreen, 143
Excess cations, 513
External mycelium, 589
Field-grown plants, 163
Finite element analyses, 19
Flooding, 539
Floridoside, 561
Fraximus ornus, 419
Free proline, 253
Function, 213
Functional groups, 323
Functional significance, 213
Functional type, 191
Functional types, 155
Game theory, 210
Gas exchange, 3
Gender ratio, 419
Germination, 273
Global change, 63
Glutathione, 305
Grasses, 119, 323
Gravitropism, 387
Growth, 573
Herbivory, 3, 191
Hydraulic architecture, 485
Hydraulic resistance, 281
Hydraulic tension, 261
Hydrothermal time, 273
Hydrotime model, 273
Infrared spectroscopy, 351
Inoculum potential, 409
Inter- and intra-specific comparisons, 177
Internal conductance, 93
Intraspecific variability, 73
Ion-selective microelectrodes, 333
Laboratory-grown plants, 163
Leaf anatomy, 3, 83, 119
Leaf area, 155
Leaf composition, 63
Leaf development, 105
Leaf expansion, 33
Leaf lifespan, 191
Leaf mass per area, 351
Leaf morphology, 3, 63
Leaf nitrogen, 119
Leaf nutrients, 3
Leaf palatibility, 191
Leaf pigments, 105
Leaf pubescence, 213
Leaf reflectometer, 105
Leaf structure, 177
Leaf thickness, 119, 155
Leaf toughness, 191
Leaves, 19, 155, 333
Legumes, 323
Level of organization, 213
Lichens, 495
Life forms, 177
Light, 315
Light absorption profiles, 93
Light penetration, 119
Lipid peroxidation, 253
L-isofloridoside, 561
Litter, 177
Litter mass loss, 191

Low light, 143
Lupin (*Lupinus angustifolius*), 299
Lycopersicon esculentum, 53
Maize, 33
Malic dehydrogenase, 299
Mathematical models, 387, 401
Mean residence time, 177
Mechanical support, 119
Mediterranean, 419
Mesophyll, 119
Mesophyll structure, 131
Metal accumulation, 253
Microbial nutrient immobilization, 523
Mineral nutrition, 281
Mycorrhiza, 523
Myrothamnus flabellifolia, 471
N availability, 323
N_2 fixation, 513
Net photosynthesis, 305
Nitrate supply, 513
Nitrogen, 73, 177, 210, 539
Nitrogen absorption, 503
Nitrogen metabolism, 221
Non-random fertilization, 243
Nutrient acquisition, 539
Nutrient use efficiency, 177
Onion (*Allium cepa*), 273
Optimization, 3, 213
Ornithine decarboxylase, 581
Osmolality, 299
Oxidative stress, 253
Oxygen evolution, 83
Ozone, 305, 315
Palisade mesophyll, 83
Parasitic angiosperm, 573
Parasitic plant, 281
Path analysis, 131
Paxillus involutus, 581, 589
PCR identification, 409
Pea (*Pisum satium*), 299
pH, 333
Phenological models, 339
Phenology, 339
Philaenus, 261
Phosphorus, 539
Photoacoustics, 83
Photoprotection, 105
Photosynthesis, 83, 573
Photosynthetic nitrogen-use efficiency, 210
Pinus sylvestris (Scots pine), 589
Plant ^{15}N natural abundance, 523
Plant age, 315
Plant strategies, 177, 539
Plants, 19
Plant–atmosphere relations, 213
Plasticity, 373
Pollen competition, 243
Pollen tube growth, 243
Polyamine release, 581
Polyamine uptake, 581
Polyamines, 581
Porphyra, 561
Productivity, 163
Protein phosphorylation, 221
Pseudoroegnerispicata, 373
Quercus ilex, 351
Quercus pubescens, 485
Reflectance, 351
Reflectance indices, 105
Regulation, 221
Resource use, 155
Resurrection plant, 471
Rhinanthus minor, 281
Root architecture, 373
Root growth, 503
Root hydraulic conductance, 485
Roots, 299
Rubisco, 93
Seasonal change, 547
Seasonality, 561
Seed priming, 273
Sex, 419
Shade, 45
Shade tolerance, 143
Shoot morphology, 503
Short-term phosphate uptake, 589
Signal transmission, 387, 401
SLA, 53, 191
Soil acidification, 513
Source:ratio, 53
Specific leaf area, 33, 45, 73, 163, 210, 547
Specific leaf area, SLA, 131
Specific leaf mass, SLM, 131
Specific shoot height, 547
Spinach (*Spinacia oleracea*), 83
Spittlebugs, 261
Spore bank, 409
Starch, 53
Stomatal conductance, 305
Structural dry weight, 45
Structural equation modelling, 131
Structure–function, 83
Succession, 409, 547
Sucrose synthesis, 221
Suillus bovinus, 589
Suillus luteus, 589
SUM06, 305
Sunflower, 33
Thelephora terrestris, 589
Thickness, 351
Tissue density, 155
Tomato, 53
Total non-structural carbohydrate, 73
Trade-off, 3
Transfer experiments, 339
Transpiration stream, 261
Tropical weeds, 573
Vegetation, 163
Virtual osmotic potential, 273
Visible injury, 315
Water relations, 485
Woody plants, 143
Xanthophyll cycle, 105
Xylem cavitation, 365
Xylem conductance, 365
Xylem embolism, 485
Xylem pressure probe, 471
Xylem sap, 261
Xylem sap., 281
Xylem wall properties, 471